

# Hillside Farm Supply

## Live Stock Product Catalogue

Email: [hillsidefarmsupply@outlook.com](mailto:hillsidefarmsupply@outlook.com)

Phone: (204) 312-7833  
[hillsidefarmsupply.com](http://hillsidefarmsupply.com)



## **BVI Storage**

### ***100 & 150 Bushel Hopper Bins***



- Heavy Duty Bolt Together Steel Stand
- 55° Hopper Bottom Slope
- Smooth Walls Ideal For Even Grain Flow
- High Impact Poly Design
- UV Stabilized
- Weather & Rodent Resistant

### ***Pallet Bin 4840***



- 40 Bushel Container
- 48 Cubic Feet
- 1 Metric Ton Weight Rating
- 15° Hopper Bottom Slope
- 49" x 49" Snap On Lid
- 4 Way Entry Pallet
- UV Stabilized
- Weather & Rodent Resistant

### ***Pallet Bin 5040***



- 40 Bushel Container
- 50 Cubic Feet
- 1 Metric Ton Weight Rating
- Heavy Duty Steel Stand
- 40° Hopper Bottom Slope
- UV Stabilized
- Weather & Rodent Resistant



**BVI Storage**

## ***Pallet Bin 5040-HB***



Mfr. Part # - PB5040-HB

- High Clearance Access to Fill Pails
- 40 Bushel Container
- 50 Cubic Feet
- 1 Metric Ton Capacity
- 40° Bottom Slope
- UV Stabilized
- Weather & Rodent Resistant

## ***Pallet Bin 6552***



Mfr. Part # - PB6552

- 52 Bushel Container
- 65 Cubic Feet
- 1.5 Metric Ton Weight Rating
- Heavy Duty Steel Stand
- 40° Bottom Slope
- UV Stabilized
- Weather & Rodent Resistant

## ***Pallet Bin 120100***



Mfr. Part # - PB120100

- 100 Bushel Container
- 120 Cubic Feet
- 2 Metric Ton Rating
- 55° Hopper Bottom Slope
- Smooth Walled
- UV Stabilized
- Weather & Rodent Resistant



# Sioux Steel Feeders



## BULK FEED BINS

Available in 60° and 67° slopes in either a 16" or 22" hopper opening, Sioux Steel hopper panels are die-formed with rounded corners and down-turned sealing edges for safety and a weather-tight fit. Constructed using high tensile steel sidewall sheets with a G-90 commercial galvanized coating for outstanding strength and durability. Legs can be set to three different heights.




## Hog Feeders

**Openings: 12 Feed Doors    Diameter: 56.5 Inches**

Advanced scalloped trough provides a "natural" opening contoured to the hogs jowl. Large head clearance allows the hog to adopt a comfortable stance and conduct eating motions inside the feeder. Keeps feed in the feeding zone where hogs can get to it.

### Features

- 12 large openings "natural" to hog anatomy.
- Long-lasting trough is heavy galvanized, 12 gauge steel.
- 60bu feeder is 75" tall with lid & 64.5" tall w/o lid.



SUPREME FEEDER	DESCRIPTION	WEIGHT
S142002	60 Bushel Complete, Hopper portion comes unassembled	335 lbs.
S142002-1	60 Bushel Complete with Hopper assembled to base	335 lbs.
S142702	60 Bushel (less lid), Hopper portion comes unassembled	265 lbs.
S142702-1	60 Bushel (less lid) with Hopper assembled to base	265 lbs.
S142802	60 Bushel (less bottom doors), Hopper portion comes unassembled	303 lbs.
S142802-1	60 Bushel (less bottom doors) with Hopper assembled to base	303 lbs.
S142902	60 Bushel (less lid & bottom doors), Hopper portion comes unassembled	281 lbs.
S142902-1	60 Bushel (less lid & bottom doors) with Hopper assembled to base	281 lbs.
S228723	Bottom - With Doors (no hardware or Hopper portion)	143 lbs.
S229715	Bottom - Less Doors (no hardware or Hopper portion)	122 lbs.

BIG 'O' FEEDER	DESCRIPTION	WEIGHT
S16006	40 Bushel Hog Feeder (complete)	312 lbs.
S16007	65 Bushel Hog Feeder (complete)	348 lbs.
S16008	90 Bushel Hog Feeder (complete)	383 lbs.





# Sioux Steel Calving Barns

## 24' x 60' Calving Barn w/ Continuous Fencing

DESCRIPTION	PART NUMBER	QTY
12' Victory 2" Gates	SS1250STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	5
12' Victory Walk-Thru Gate	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
24' x 60' Pony Wall ProTec Building	SHS24060	1
Misc Hardware	-	1

## 24' x 60' Calving Barn w/ Added Feed Bunk Option

DESCRIPTION	PART NUMBER	QTY
12' Victory 2" Gate	SS1250STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	2
12' Victory Walk-Thru Gate	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
24' x 60' Pony Wall ProTec Building	SHS24060	1
10' Z-Bar Feeder Panels	S227878	6
5' Bunk Feeders	S173953	10
Misc Hardware	-	1

## 30' x 60' Calving Barn w/ Continuous Fencing

DESCRIPTION	PART NUMBER	QTY
18' Victory 2" Gates	SS1850STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	5
12' Victory Walk-Thru Gates	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
30' x 60' Pony Wall ProTec Building	SHS30060	1
Misc Hardware	-	1

## 30' x 60' Calving Barn w/ Added Feed Bunk Option


DESCRIPTION	PART NUMBER	QTY
18' Victory 2" Gates	SS1850STKLH	2
Calving Pen Care Center	S15503HD	1
Fencing - 10' Panel	S179389BRN	1
Fencing - 20' Panels	S179391BRN	2
12' Victory Walk-Thru Gates	S227881PG	4
10' Range Tough 2" Panels	SS10RTBG6	4
30' x 60' Pony Wall ProTec Building	SHS30060	1
10' Z-Bar Feeder Panels	S227878	6
5' Bunk Feeders	S173953	10
Misc Hardware	-	1

## 36' x 100' Calving Barn w/ Working Equipment


DESCRIPTION	PART NUMBER	QTY
36' x 100' Pony Wall ProTec Building	SPT36P100	1
Calving Pen Care Center	S15503HD	1
Fencing - 20' Panels	S179391BRN	9
Fencing - 10' Panel	S179389BRN	1
12' Victory Walk-Thru Gates	S227881PG	7
12' Range Tough 2" Panels	SS12RTBG6	8
12' Victory 2" Gate	SS1250STKLH	1
14' Heavy Duty Range Tough Panels	S191455	2
12' Range Tough Panel	SS1272RT	1
14' Victory 2" Tall Gates	S164029	2
18 Victory 2" Gates	SS1850STKLH	2
Cornerless Crowding Tub	S198846	1
Sliding Alley Gate	S231014	1
Adjustable Alley	S191530	1
Squeeze Chute, Manual Head Gate	S191440MLHPG	1
Misc Hardware	-	1

## 36' x 100' Calving Barn w/out Working Equipment

DESCRIPTION	PART NUMBER	QTY
36' x 100' Pony Wall ProTec Building	SPT36P100	1
Calving Pen Care Center	S15503HD	1
Fencing - 20' Panels	S179391BRN	9
Fencing - 10' Panel	S179389BRN	1
12' Victory Walk-Thru Gates	S227881PG	7
12' Range Tough 2" Panels	SS12RTBG6	8
12' Victory 2" Gate	SS1250STKLH	1
18 Victory 2" Gates	SS1850STKLH	2
Misc Hardware	-	1



Calving Barn Interior  
w/ Continuous Fencing



Calving Barn w/ Added  
Feed Bunk Option



# Sioux Steel Live Stock Gates

## VICTORY GATES

With heavy-duty Z-bar vertical braces, Victory gates are our heaviest and most durable line. Rounded tops and prairie gold powder coating make this one of our most popular livestock products and a must have on your farm or ranch.


VICTORY	GAUGE	LENGTHS	HEIGHT	BAR
2" Victory Gate	16	4' - 20'	50"	6
1.5" Victory Gate	16	4' - 18'	50"	6
2" Hog Gate	16	4' - 20'	38"	6
2" Tall Gate	16	4' - 18'	62"	7

Color: **Prairie Gold**

Corners: **Round Tops**

NOTE: Sioux Steel Victory Gates are sold less hinges. Order hinges separately. All specifications are subject to change or improvement without notice.

Actual gate lengths are 5" shorter than stated lengths.



### LIFETIME WARRANTIES ARE STANDARD ON 2" VICTORY GATES & 2" VICTORY TALL GATES.

If a gate is ever damaged so that it cannot be used for its intended purpose, we will repair or replace at no charge.

Please See Additional Details On Page 6.

SIoux STEEL PRODUCTS ARE MADE IN THE USA

#### 16 GAUGE HIGH QUALITY MATERIALS

Made from 16 gauge, 58,000 psi, high-tensile structural steel tubing. Premium powder coat paint.



#### Z-BAR VERTICAL BEAM

One piece formed and punched to support crossbars. All steel parts become one, unbroken piece. (except 4' & 6' gates)

58,000 PSI

#### 58,000 PSI

Sioux gates are made of high-tensile, 58,000 PSI structural steel tubing. (Does not include 1.5" Victory gates)



#### MITERED JOINTS

Mitered and arc welded. Every tube is cut and tailored for a perfectly fitted connection before it's given a permanent, 360° weld.



#### PATENTED T-SLOT LATCH & CHAIN

Slotted latch is easy to lock and unlock, but requires twisting action to open, so it's stock proof. Can be padlocked if needed. Chain is 29 links, 3 ft. long - wraps around railroad ties.



#### DURABLE POWDER COATING

All Sioux Steel gates feature a powder coated finish in which premium paint is baked at high temperatures onto the metal of the gate, thus insuring a long-lasting protective barrier against the elements.



2" VICTORY TALL GATE



# Sioux Steel Live Stock Gates

## 2" HEAVY DUTY GATE



**16**  
GAUGE

**5**  
BARS

**48**  
INCHES HIGH

2" HEAVY DUTY	LENGTH	WEIGHT
SHQGTHD04	4'	43 lbs.
SHQGTHD06	6'	57 lbs.
SHQGTHD08	8'	74 lbs.
SHQGTHD10	10'	87 lbs.
SHQGTHD12	12'	100 lbs.
SHQGTHD14	14'	117 lbs.
SHQGTHD16	16'	131 lbs.
SHQGTHD18	18'	144 lbs.
SHQGTHD20	20'	161 lbs.

### SUGGESTED APPLICATIONS:

- Confinement of Cows, Calves and Yearlings.
- Pastures
- Driveways
- Stallions and Mares

## 2" CATTLEMAN'S GATE



**16**  
GAUGE

**6**  
BARS

**52**  
INCHES HIGH

2" CATTLEMAN'S	LENGTH	WEIGHT
SHQGTCM08	8'	86 lbs.
SHQGTCM10	10'	114 lbs.
SHQGTCM12	12'	121 lbs.
SHQGTCM14	14'	139 lbs.
SHQGTCM16	16'	157 lbs.

### SUGGESTED APPLICATIONS:

- Bull Pens
- Heavy Confinement
- Feed Lots
- Sale Barns
- Calving Barns

## 2" SUPER SIX GATE



**16**  
GAUGE

**6**  
BARS

**59**  
INCHES HIGH

2" SUPER SIX	LENGTH	WEIGHT
SHQGTSS08	8'	102 lbs.
SHQGTSS10	10'	127 lbs.
SHQGTSS12	12'	148 lbs.
SHQGTSS14	14'	169 lbs.
SHQGTSS16	16'	193 lbs.

\* Hinges sold separately.

### SUGGESTED APPLICATIONS:

- Rodeo Arenas
- Bison Pens
- Elk Pens
- Bull Pens
- Stallion Pens
- Crowding Areas
- Heavy Confinement



## Kwik-Pound NS860T Post Pounder



Hammer Weight:	864 lbs
Mast Stroke:	70"
Total Weight:	3,541 lbs
Tongue Weight:	530 lbs
Hammer Height Min:	3'-10"
Hammer Height Max:	13'-2"
Tilt (Inward/Outward):	13°
Tilt (Left or Right):	28°
Transport Height:	8'-10"
Transport Length:	9'-8"
Transport Width:	7'-11'





# North Country Feeds

## Cattle Feed



Ensure optimum performance of your herd from calf to mature adult. Formulated to cater to the specific dietary needs of beef, breeding, and dairy cattle, our cattle feeds contain balanced levels of protein, energy, and minerals for muscle, bone, and reproductive development and growth.

With our feeds, you can look forward to producing superior livestock outputs, from lean, well-marbled meat to quality milk and healthy breeding beasts. The best part? We use the finest ingredients for our cattle feeds to ensure optimum nutritional value for your herd.



## Hog Feed



Ensure the specific dietary needs of your breeding sows and bows are met at every stage of their lifecycle, from piglet to finishing hog. Formulated with palatable ingredients for better feed intake and rich in essential nutrients for optimal weight gain, muscle development, and lean meat production in finishing hogs, our hog feeds promote healthy growth in swine of all ages.

With the perfect balance of protein, vitamins, and minerals, you can rest assured knowing your hogs will reach market weight quickly and healthily.



## Poultry Feed



Ensure your chickens, turkeys, ducks, geese, and other poultry species get all the nutrients they need to perform. Our specially formulated poultry feeds deliver the perfect blend of the nutrients required to nurture your flock from chick to fully grown healthy bird, from proteins that promote lean muscle development to amino acids for strong feathers and essential minerals to promote egg production.

Count on our feeds for healthy feathering in meat birds and high-quality egg production in laying hens by ensuring their dietary requirements at every growth stage are met.



## Sheep Feed



From lambs to mature ewes and rams, our sheep feeds promote strong bones, robust immune systems, and optimal reproductive health.

Got wool-producing sheep breeds? Our feeds support optimal wool quality and quantity in wool-producing sheep at all stages of life, guaranteeing you premium fleece production throughout the year.

Our sheep feeds also support the fast development of your meat sheep. Each bag of feed contains targeted nutrients specially formulated for sheep. With purchase, you're not only investing in quality nutrition but also ensuring you will always have quality, market-ready meat and wool, maximizing the yields of your farm.





# SCAG Zero Turn Mowers



**SLS**



**Liberty Z**



**Freedom Z**



**Patriot**



**TigerCat II**



**Cheetah II**



**Turf Tiger II**